# JFK CROSSING

# 420 HARVARD STREET ZONING BOARD OF APPEALS PUBLIC HEARING

JUNE 27, 2016

A PRESENTATION BY:

420 HARVARD ASSOCIATES, LLC





## DEVELOPMENT TEAM

DEVELOPER: 420 HARVARD ASSOCIATES LLC

420 Harvard Street, Brookline MA

DEVELOPMENT CONSULTANT: SEB, LLC

165 Chestnut Hill Avenue, Brighton MA

ARCHITECT: EMBARC STUDIC

60 K Street, Boston MA

CIVIL ENGINEER: McKENZIE ENGINEERING GROUP, INC.

150 Long Water Drive, Norwell MA

TRAFFIC CONSULTANT: VANASSE + ASSOCIATES, INC

35 New England Business Center, Andover MA

LANDSCAPE ARCHITECT: PAUL SIMON

56 Grey Meadow Drive, Burlington VT

LEGAL COUNSEL: ECKERT SEAMANS CHERIN + MELLOTT, LLC

2 International Place, Boston MA

### PROJECT EVOLUTION

AUGUST 20, 2015: MEETING WITH PLANNING STAFF

NOVEMBER 5, 2015: MEETING WITH PLANNING STAFF

40 B STAFF / COMMUNITY DEVELOPMENT STAFF


DECEMBER 22, 2015: MEETING WITH PLANNING STAFF

MARCH 10, 2016: MEETING WITH NEIGHBORS


MARCH 15, 2016: PRESENTATION TO SELECTMAN


MARCH 17, 2016: SITE VISIT WITH MHP STAFF / NEIGHBORS

JUNE 27, 2016: ZONING BOARD OF APPEALS PRESENTATION




SITE LOCUS PLAN





**AERIAL PLAN** 















LOCAL CONTEXT






# PROPOSED DESIGN









**FULLER STREET** 

GROUND FLOOR PLAN

SECOND FLOOR PLAN


PROPOSED PLANS






THIRD FLOOR PLAN


FOURTH FLOOR PLAN





FIFTH FLOOR PLAN

PENTHOUSE FLOOR PLAN





# PROJECT OUTLINE:

#### ZONING INFORMATION

DISTRICT L-1.0

(Coolige Corner Design Overlay)

	EXIST. LOT 1	EXIST. LOT 2	EXIST. LOT COMBINED	PROPOSED	REQUIRED
LOT AREA	6,289 S.F.	4,562 S.F.	10,851 S.F.	10,851 S.F.	None
LOT WIDTH	82 FT	50 FT	132 FT	132 FT	None
LOT FRONTAGE	147 FT	50 FT	197 FT	197 FT	20 FT
FRONT SETBACK	2'	NA	2'	3'-6"	10 FT <sup>1,3,4</sup>
SIDE SETBACK	0	NA		5'	10+L/10 <sup>1,2,5</sup>
REAR SETBACK	31	NA	3'	10	30 FT <sup>1,2</sup>
usable open space	0	0		1,220 S.F.	20% of GFA <sup>2</sup>
LANDSCAPED OPEN SPACE	0	1260 S.F.	1260 S.F.	940 S.F.	10% of GFA <sup>2</sup>
HEIGHT	2.5 Stories (30 ft.)	0	2.5 Stories (30 ft.)	6 Stories (63'-10")	40' Max
FLOOR AREA RATIO	1.66 (7,588 S.F.)	0		3.76 (40,850 S.F.)	1 (10,851 S.F.)
PARKING SPACES	9	0	9	29	74
PARKIG SPACES PER UNIT				0.8	2

#### Notes:

At the end of each row or block of one-family attached dwellings, a yard shall be provided along the street line or side lot line of at least ten feet plus one foot for each dwelling unit in excess of two. In M and F districts, a building subject to the side yard formula: 10+L/10 may be built to the side lot line: (a) as a matter of right if, on the adjoining lot, a principal building with no setback from that lot line already exists or is proposed to be built concurrently; (b) by special permit if the Board of Appeals finds that reasonable development of the lot necessitates building to the side lot line, such action does not unreasonably infringe upon the light and air of any existing adjoining building, and the party wall is solid and has neither doors nor windows. A building with no side yard shall not have a building wall on the side lot line extending more than 70 feet to the rear of the front yard required by this By-law; except that a building wall may be located along any part of a side lot line on which a principal building on the adjoining lot abuts between the rear yard required by this By-law and the required front yard line. Where building walls more than 70 feet to the rear of the required front yard are not permitted to be built along the side lot line, said walls shall have a side yard setback not less than: 10+L/10 the "L" dimension being that portion of the wall required to be set back from the side lot line.

		AFFORDABLE	UNIT TYPE	GSF		GSF
GROUND LEVEL	RETAIL 1			700	HALL STAIRS LOBBY	1,360
	RETAIL 2			1,950	Time Is with I so not	1,500
LEVEL 2	UNIT 201		STUDIO	520	HALL STAIRS	835
	UNIT 202	- 40	3 BED	1,050		
	UNIT 203	- 8	2 BED	975		
	UNIT 204		2 BED	1,055		
	UNIT 205		1+ BED	1,100		
	UNIT 206		1+ BED	1,100		
	UNIT 207		1 BED	815		
	UNIT 208	W-1	1 BED	755		
EVEL 3	UNIT 301		STUDIO	530	HALL STAIRS	835
	UNIT 302		3 BED	1,050	12.78.79.28	
	UNIT 303	-8-	2 BED	975		
	UNIT 304		2 BED	1,055		
	UNIT 305		1+ BED	1,100		
	UNIT 306		1+ BED	1,045		
	<b>UNIT 307</b>		1 BED	690		
	UNIT 308	T.	1 BED	575		
EVEL 4	UNIT 401		1 BED	660	HALL STAIRS	815
	UNIT 402		1 BED	500		
	UNIT 403		1 BED	600		
	<b>UNIT 404</b>	×	2 BED	1,060		
	<b>UNIT 405</b>		2 BED	1,055		
	<b>UNIT 406</b>		1+ BED	1,100		
	<b>UNIT 407</b>		1+ BED	1,100		
	UNIT 408		1 BED	670		
LEVEL 5	UNIT 501		1 BED	835	HALL STAIRS	775
	UNIT 502		3 BED	1,150		
	<b>UNIT 503</b>		1 BED	950		
	<b>UNIT 504</b>		3 BED	1,365		
	<b>UNIT 505</b>		2 BED	1,290		
	UNIT 506		1+ BED	920		
EVEL 6	UNIT 601		1 BED	625	HALL STAIRS	765
	<b>UNIT 602</b>		2 BED	940		
	<b>UNIT 603</b>	3:	1 BED	725		
	UNIT 604	1	2 BED	1,040		
	<b>UNIT 605</b>		2 BED	1,100		
	UNIT 606		1 BED	740		
OTAL RESIDENTAL AND	COMMERCIAL			35,465		5,385

TOTAL RESIDENTIAL	32,815
TOTAL COMMERCIAL	2,650
TOTAL BUILDING GSF	40,850
TOTAL PARKING SPACES	29
TOTAL AFFORDABLE UNITS	9 UNITS

UNIT BREAKDOWN:		AVERAGE SIZE	AFFORDABLE	
STUDIO 2		525	0	
1 BED	13	703	3	
1 + BED	7	1,065	2	
2 BED	10	1,055	3	
3 BED	4	1,154	1	
TOTAL	36	911	9	

PARKING/UNIT RATIO	0.8

<sup>&</sup>lt;sup>1</sup> Frontage on both Fuller St. and Harvard Ave. are considered Front Yards. The lot line parallel to Fuller St. is considered the rear Lot line as it abuts to the rear lot line of Lot 10 Map 15 Block 77. The lot line parallel to Harvard Ave. is considered the side lot line as it abuts the side yard of Lot 13 Map 15 Block 77.


<sup>&</sup>lt;sup>2</sup> Per 5.07 - Dwellings in Business and Industrial districs: the minimum usable open space and minimum side and year yard requiremetrs are based on M-1.0.


<sup>&</sup>lt;sup>3</sup> 5.45 = TRAFFIC VISIBILITY ACROSS CORNERS In any district where a front yard is required, no structure, fence, planting or other structure shall be maintained between a plane two and one-half feet above curb level and a plane seven feet above curb level so as to interfere with traffic visibility across the corner within that part of the lot which is within a triangle bounded by the street lot lines and, a straight line drawn between points on each such lot line 25 feet from the intersection of said lot lines or extension thereof, except if the Director of Transportation determines that ZONING BY-LAW TOWN OF BROOKLINE ARTICLE V, DIMENSIONAL REQUIREMENTS 5-63 no safety hazard will result, such as from a fence or plantings that allows adequate visibility.

<sup>&</sup>lt;sup>4</sup> If the entrance to a garage or covered vehicular passageway faces toward the street to which its driveway has access, said entrance shall be at least 20 feet from the street lot line.











SCHEME 'C'



**CURRENT MASSING** 



## **Vehicle Trip-Generation Summary**

	Current Land Use <sup>a</sup>	Proposed Land Use <sup>b</sup>	Net New Vehicle Trips
Average Weekday Daily Traffic	39	119	80
Weekday Morning Peak Hour:			
Entering	4	4	0
Exiting	1	6	5
Total	5	10	5
Weekday Evening Peak Hour:			
Entering	1	6	5
Exiting	4	5	1
		1	

**Total** 

Traffic Impact and Access Study
420 Harvard Street - Brookline, Massachusetts

11



35 New England Business Center Drive Andover, Massachusetts 01810 V 978.474.8800 F 978.688.6508 WWW.RDVA.COM

a Based on ITE LUC 220, Apartments, 3 units and ITE LUC 710, General Office Building and 6.2 ksf.

Based on ITE LUC 220 36 units, and ITE LUC 710, General Office Building and 2.7 ksf Note: Assumes 44% vehicle usage.

